W

| Notice of Allowability | Application No. | Applicant(s) |
|--|----------------------------|-----------------------------|
| | 10/510,552 | LEUSENKAMP ET AL. |
| | Examiner | Art Unit |
| | Marina Fishman | 2832 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>07/17/2006</u> . | | |
| 2. The allowed claim(s) is/are 1.4. | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) | 5. ☐ Notice of Informal Pa | atent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. Interview Summary | (PTO-413), |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 | | |
| Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit | 8. Examiner's Statemen | nt of Reasons for Allowance |
| of Biological Material | 9. Other | |
| | | |

Application/Control Number: 10/510,552 Page 2

Art Unit: 2832

EXAMINER'S COMMENT

1. In view of the arguments presented by the Attorney in the response dated 07/17/2006, the Examiner has reconsidered her position and interpreted the angle formed by the cylindrical end face on an inner side of the ceramic tube is being "substantially 90°, but less than 90°, i.e. the angle is always less than 90°. The prior art of record does not teach or suggest, in combination with the claimed elements, "the cylindrical end face on an inner side of the ceramic tube forms an angle of substantially 90°, but less than 90°."

- 2. Claims 1 and 4 are allowed.
- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marina Fishman whose telephone number is 571-272-1991. The examiner can normally be reached on 7-5 M-T.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on 571-272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/510,552 Page 3

Art Unit: 2832


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Marina Fishman July 20, 2006

SUPERVISORY PATENT EXAMINER




Approved o'Halos de




Prior Art

Fig 2



Prior Art

Fig 3








FIG.4

٠